RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: _10/520,470_

Source: _Pct_

Date Processed by STIC: _1/26/06_

ENTERED

PCT

RAW SEQUENCE LISTING   DATE: 01/26/2006
PATENT APPLICATION: US/10/520,470 TIME: 11:44:32

Input Set : A:\2923-673.txt
Output Set: N:\CRF4\01262006\J520470.raw

```
 3 <110> APPLICANT: Tuschl, Thomas
 4       Martinez, Javier
 5       Patkaniowska, Agnieszka
 6       Urlaub, Henning
 7       Luehrmann, Reinhard
 9 <120> TITLE OF INVENTION: RNA-Interference by Single-Stranded RNA Molecules
11 <130> FILE REFERENCE: 2923-673
13 <140> CURRENT APPLICATION NUMBER: 10/520,470
14 <141> CURRENT FILING DATE: 2005-01-07
16 <150> PRIOR APPLICATION NUMBER: EP 02015532.1
17 <151> PRIOR FILING DATE: 2002-07-10
19 <150> PRIOR APPLICATION NUMBER: EP 02018906.4
20 <151> PRIOR FILING DATE: 2002-08-23
22 <150> PRIOR APPLICATION NUMBER: PCT/EP03/007516
23 <151> PRIOR FILING DATE: 2003-07-10
25 <160> NUMBER OF SEQ ID NOS: 115
27 <170> SOFTWARE: PatentIn version 3.3
29 <210> SEQ ID NO: 1
30 <211> LENGTH: 15
31 <212> TYPE: RNA
32 <213> ORGANISM: Homo sapiens
35 <220> FEATURE:
36 <221> NAME/KEY: misc_feature
37 <223> OTHER INFORMATION: HeLa S100
38       antisense siRNA (5'-3')
40 <400> SEQUENCE: 1
41 ucgaaguauu ccgcg                                           15
44 <210> SEQ ID NO: 2
45 <211> LENGTH: 21
46 <212> TYPE: RNA
47 <213> ORGANISM: Homo sapiens
50 <220> FEATURE:
51 <221> NAME/KEY: misc_feature
52 <223> OTHER INFORMATION: HeLa S100
53       antisense siRNA (5'-3')
55 <400> SEQUENCE: 2
56 ucgaaguauu ccgcguacgu g                                    21
59 <210> SEQ ID NO: 3
60 <211> LENGTH: 25
61 <212> TYPE: RNA
62 <213> ORGANISM: Homo sapiens
65 <220> FEATURE:
66 <221> NAME/KEY: misc_feature
```

P. 6

```
67  <223> OTHER INFORMATION: HeLa S100
68        antisense siRNA (5'-3')
70  <400> SEQUENCE: 3
71  ucgaaguauu ccgcguacgu gaugu                                    25
74  <210> SEQ ID NO: 4
75  <211> LENGTH: 27
76  <212> TYPE: RNA
77  <213> ORGANISM: Homo sapiens
80  <220> FEATURE:
81  <221> NAME/KEY: misc_feature
82  <223> OTHER INFORMATION: HeLa S100
83        antisense siRNA (5'-3')
85  <400> SEQUENCE: 4
86  ucgaaguauu ccgcguacgu gauguuc                                  27
89  <210> SEQ ID NO: 5
90  <211> LENGTH: 29
91  <212> TYPE: RNA
92  <213> ORGANISM: Homo sapiens
95  <220> FEATURE:
96  <221> NAME/KEY: misc_feature
97  <223> OTHER INFORMATION: HeLa S100
98        antisense siRNA (5'-3')
100 <400> SEQUENCE: 5
101 ucgaaguauu ccgcguacgu gauguucac                                29
104 <210> SEQ ID NO: 6
105 <211> LENGTH: 15
106 <212> TYPE: RNA
107 <213> ORGANISM: Homo sapiens
110 <220> FEATURE:
111 <221> NAME/KEY: misc_feature
112 <223> OTHER INFORMATION: HeLa S100
113        antisense siRNA (5'-3')
115 <400> SEQUENCE: 6
116 ucgaaguauu ccgcg                                               15
119 <210> SEQ ID NO: 7
120 <211> LENGTH: 21
121 <212> TYPE: RNA
122 <213> ORGANISM: Homo sapiens
125 <220> FEATURE:
126 <221> NAME/KEY: misc_feature
127 <223> OTHER INFORMATION: HeLa S100
128        antisense siRNA (5'-3')
130 <400> SEQUENCE: 7
131 ucgaaguauu ccgcguacgu g                                        21
134 <210> SEQ ID NO: 8
135 <211> LENGTH: 25
136 <212> TYPE: RNA
137 <213> ORGANISM: Homo sapiens
140 <220> FEATURE:
```

```
141 <221> NAME/KEY: misc_feature
142 <223> OTHER INFORMATION: HeLa S100
143       antisense siRNA (5'-3')
145 <400> SEQUENCE: 8
146 ucgaaguauu ccgcguacgu gaugu                               25
149 <210> SEQ ID NO: 9
150 <211> LENGTH: 27
151 <212> TYPE: RNA
152 <213> ORGANISM: Homo sapiens
155 <220> FEATURE:
156 <221> NAME/KEY: misc_feature
157 <223> OTHER INFORMATION: HeLa S100
158       antisense siRNA (5'-3')
160 <400> SEQUENCE: 9
161 ucgaaguauu ccgcguacgu gauguuc                             27
164 <210> SEQ ID NO: 10
165 <211> LENGTH: 29
166 <212> TYPE: RNA
167 <213> ORGANISM: Homo sapiens
170 <220> FEATURE:
171 <221> NAME/KEY: misc_feature
172 <223> OTHER INFORMATION: HeLa S100
173       antisense siRNA (5'-3')
175 <400> SEQUENCE: 10
176 ucgaaguauu ccgcguacgu gauguucac                           29
179 <210> SEQ ID NO: 11
180 <211> LENGTH: 21
181 <212> TYPE: RNA
182 <213> ORGANISM: Homo sapiens
185 <220> FEATURE:
186 <221> NAME/KEY: misc_feature
187 <223> OTHER INFORMATION: HeLa S100
188       antisense siRNA (5'-3')
190 <400> SEQUENCE: 11
191 ucgaaguauu ccgcguacgu g                                   21
194 <210> SEQ ID NO: 12
195 <211> LENGTH: 21
196 <212> TYPE: DNA
197 <213> ORGANISM: Homo sapiens
200 <220> FEATURE:
201 <221> NAME/KEY: misc_feature
202 <222> LOCATION: (1)..(21)
203 <223> OTHER INFORMATION: RNA/DNA hybrid
205 <220> FEATURE:
206 <221> NAME/KEY: misc_feature
207 <223> OTHER INFORMATION: HeLa S100
208       antisense siRNA (5'-3')
210 <220> FEATURE:
211 <221> NAME/KEY: misc_feature
```

Input Set : **A:\2923-673.txt**
Output Set: **N:\CRF4\01262006\J520470.raw**

```
      212 <222> LOCATION: (20)..(20)
      213 <223> OTHER INFORMATION: n = 2'-deoxythymidine
      215 <220> FEATURE:
      216 <221> NAME/KEY: misc_feature
      217 <222> LOCATION: (21)..(21)
      218 <223> OTHER INFORMATION: n = 2'-deoxyguanosine
      220 <400> SEQUENCE: 12
W--> 221 ucgaaguauu ccgcguacgn n                                        21
      224 <210> SEQ ID NO: 13
      225 <211> LENGTH: 21
      226 <212> TYPE: RNA
      227 <213> ORGANISM: Homo sapiens
      230 <220> FEATURE:
      231 <221> NAME/KEY: misc_feature
      232 <223> OTHER INFORMATION: HeLa S100
      233         antisense siRNA (5'-3')
      235 <400> SEQUENCE: 13
      236 ucgaaguauu ccgcguacgu u                                        21
      239 <210> SEQ ID NO: 14
      240 <211> LENGTH: 21
      241 <212> TYPE: DNA
      242 <213> ORGANISM: Homo sapiens
      245 <220> FEATURE:
      246 <221> NAME/KEY: misc_feature
      247 <222> LOCATION: (1)..(21)
      248 <223> OTHER INFORMATION: RNA/DNA hybrid
      250 <220> FEATURE:
      251 <221> NAME/KEY: misc_feature
      252 <223> OTHER INFORMATION: HeLa S100
      253         antisense siRNA (5'-3')
      255 <220> FEATURE:
      256 <221> NAME/KEY: misc_feature
      257 <222> LOCATION: (20)..(21)
      258 <223> OTHER INFORMATION: n = 2'-deoxythymidine
      260 <400> SEQUENCE: 14
W--> 261 ucgaaguauu ccgcguacgn n                                        21
      264 <210> SEQ ID NO: 15
      265 <211> LENGTH: 21
      266 <212> TYPE: RNA
      267 <213> ORGANISM: Homo sapiens
      270 <220> FEATURE:
      271 <221> NAME/KEY: misc_feature
      272 <223> OTHER INFORMATION: HeLa S100
      273         antisense siRNA (5'-3')
      275 <400> SEQUENCE: 15
      276 ucgaaguauu ccgcguacgu g                                        21
      279 <210> SEQ ID NO: 16
      280 <211> LENGTH: 21
      281 <212> TYPE: DNA
```

```
     282 <213> ORGANISM: Homo sapiens
     285 <220> FEATURE:
     286 <221> NAME/KEY: misc_feature
     287 <222> LOCATION: (1)..(21)
     288 <223> OTHER INFORMATION: RNA/DNA hybrid
     290 <220> FEATURE:
     291 <221> NAME/KEY: misc_feature
     292 <223> OTHER INFORMATION: HeLa S100 cells
     293       antisense siRNA (5'-3')
     295 <220> FEATURE:
     296 <221> NAME/KEY: misc_feature
     297 <222> LOCATION: (20)..(20)
     298 <223> OTHER INFORMATION: n = 2'-deoxythymidine
     300 <220> FEATURE:
     301 <221> NAME/KEY: misc_feature
     302 <222> LOCATION: (21)..(21)
     303 <223> OTHER INFORMATION: n = 2'-deoxyguanosine
     305 <400> SEQUENCE: 16
W--> 306 ucgaaguauu ccgcguacgn n                                   21
     309 <210> SEQ ID NO: 17
     310 <211> LENGTH: 21
     311 <212> TYPE: RNA
     312 <213> ORGANISM: Homo sapiens
     315 <220> FEATURE:
     316 <221> NAME/KEY: misc_feature
     317 <223> OTHER INFORMATION: HeLa S100
     318       antisense siRNA (5'-3')
     320 <400> SEQUENCE: 17
     321 ucgaaguauu ccgcguacgu u                                   21
     324 <210> SEQ ID NO: 18
     325 <211> LENGTH: 21
     326 <212> TYPE: DNA
     327 <213> ORGANISM: Homo sapiens
     330 <220> FEATURE:
     331 <221> NAME/KEY: misc_feature
     332 <222> LOCATION: (1)..(21)
     333 <223> OTHER INFORMATION: RNA/DNA hybrid
     335 <220> FEATURE:
     336 <221> NAME/KEY: misc_feature
     337 <223> OTHER INFORMATION: HeLa S100
     338       antisense siRNA (5'-3')
     340 <220> FEATURE:
     341 <221> NAME/KEY: misc_feature
     342 <222> LOCATION: (20)..(21)
     343 <223> OTHER INFORMATION: n = 2'-deoxythymidine
     345 <400> SEQUENCE: 18
W--> 346 ucgaaguauu ccgcguacgn n                                   21
     349 <210> SEQ ID NO: 19
     350 <211> LENGTH: 21
```

RAW SEQUENCE LISTING ERROR SUMMARY   DATE: 01/26/2006
PATENT APPLICATION: US/10/520,470   TIME: 11:44:33

Input Set : A:\2923-673.txt
Output Set: N:\CRF4\01262006\J520470.raw

Please Note:
Use of n and/or Xaa have been detected in the Sequence Listing. Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220>
to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:12; N Pos. 20,21
Seq#:14; N Pos. 20,21
Seq#:16; N Pos. 20,21
Seq#:18; N Pos. 20,21
Seq#:22; N Pos. 20,21
Seq#:26; N Pos. 20,21
Seq#:27; N Pos. 1
Seq#:28; N Pos. 1
Seq#:29; N Pos. 1
Seq#:30; N Pos. 1,20,21
Seq#:31; N Pos. 1,20,21
Seq#:32; N Pos. 1,20,21
Seq#:33; N Pos. 1,20,21

Input Set : **A:\2923-673.txt**
Output Set: **N:\CRF4\01262006\J520470.raw**

```
L:221 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:261 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:306 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:346 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:421 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:491 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:516 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:541 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:566 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:591 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:621 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:646 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:671 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:3387 M:283 W: Missing Blank Line separator, <220> field identifier
```